

Safety Data Sheet

SOUDAL Soudaseal AP-2

Section 1. Identification

Product Identifier SOUDAL Soudaseal AP-2

Synonyms N/A

Manufacturer Stock 143795; 143653; 143592; 143596; 143595; 143597; 143591; 143594; 143593

Numbers

Refer to Technical Information Recommended use

Uses advised against Refer to Technical Information

Manufacturer Contact

Address Soudal 350 Ring RD

Elizabethtown, KY, 42701

USA

Phone **Emergency Phone** Fax

(270) 769-3385 (800) 424-9300 (270) 765-2412

CHEMTREC

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2A

SENSITIZATION - SKIN - Category 1

Signal Word Warning

Pictogram

Hazard Statements

Causes serious eye irritation May cause an allergic skin reaction **Precautionary Statements**

Response If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Read label before use.

Wash contaminated clothing before reuse.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Wash thoroughly after handling. Wear eye protection/face protection.

Wear protective gloves.

Storage N/A

Disposal Dispose of contents/container in accordance with local/regional/national

/international regulations

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Other hazards None known

Section 3. Ingredients

| CAS | Ingredient Name | Weight % |
|------------|---|----------|
| 1760-24-3 | N-beta-(aminoethyl)-gamma-aminopropyltrimethoxysilane | < 1 % |
| 22673-19-4 | Dibutyltin Diacetyldiacetonate | < 1 % |

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Description of Necessary

If exposed or concerned: Get medical advice/attention.

Measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If

experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician.

Skin IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs:

Get medical advice/attention.

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Ingestion If a large amount is swallowed, get medical attention.

Indication of any immediate Treat symptomatically and supportively.

medical attention and special treatment needed

Most Important Acute: Causes serious eye irritation.

Symptoms/Effects Delayed: May cause allergic skin reaction.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Use appropriate media for extinction.

Unsuitable Extinguishing

Media

None known

Special Hazards Arising

from the Chemical

Negligible fire hazard.

Hazardous Combustion

Products

Oxides of carbon, oxides of calcium, hydrogen chloride

Special Protective

Equipment and

Wear full protective fire fighting gear including self contained breathing

apparatus (SCBA) for protection against possible exposure. Move container from Precautions for Firefighters fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Dike for later disposal.

Section 6. Accidental Release Measures

Personal Precautions. Protective Equipment and **Emergency Procedures**

Keep unnecessary people away, isolate hazard area and deny entry. Wear personal protective clothing and equipment.

Methods and Materials for Up

Collect spilled material using mechanical equipment. Do not spray on an open Containment and Cleaning flame or other ignition sources. Stop leak if possible without personal risk. Only personnel trained for the hazards of this material should perform clean up and disposal.

Environmental Precautions Toxic to aquatic life. Avoid release to the environment. Do not flush into sanitary sewer systems, drains or surface water.

Section 7. Handling and Storage

Precautions for Safe

Handling

Avoid contact with skin and eyes. Provide adequate ventilation. Wash thoroughly after handling. Use recommended personal protective equipment.

Conditions for Safe Storage, Including any None needed according to classification criteria.

Keep away from incompatible materials.

Incompatible Materials

Incompatibilities

Oxidizing materials, bases, combustible materials, strong acids, strong bases

Section 8. Exposure Controls/Personal Protection

ACGIH OSHA STEL Occupational Exposure Ingredient Name

| Limits | | TLV | PEL | |
|-------------------------------|--|-----|-----|-----|
| | N-beta-(aminoethyl)-gamma- aminopropyltrimethoxysilane | N/A | N/A | N/A |
| | Dibutyltin Diacetyldiacetonate | N/A | N/A | N/A |
| Personal Protective Equipment | Goggles, Gloves, Apron | | | |
| Biological limit value | There are no biological limit values for any of this product's components. | | | |
| Engineering Controls | Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits. | | | |
| Eye/face protection | Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. | | | |
| Skin protection | Wear appropriate chemical resistant clothing. | | | |
| Respiratory Protection | A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits. | | | |
| Glove recommendations | Wear appropriate chemical resistant gloves. | | | |

Section 9. Physical and Chemical Properties

| Physical State | Paste | |
|---------------------------------------|---------------|--|
| Color | Refer to | |
| | product label | |
| Odor | Typical | |
| Odor Threshold | Not available | |
| Solubility | Not available | |
| Partition coefficient Water/n-octanol | Not available | |
| VOC% | N/A | |
| Viscosity | Not available | |
| Specific Gravity | 1.46 | |
| Density lbs/Gal | N/A | |
| Pounds per Cubic Foot | N/A | |
| Flash Point | Not available | |
| FP Method | N/A | |
| рН | Not available | |
| Melting Point | Not available | |
| Boiling Point | Not available | |
| Boiling Range | N/A | |
| LEL | N/A | |
| UEL | N/A | |
| Evaporation Rate | Not available | |
| Flammability | Not available | |
| Decomposition Temperature | Not available | |
| Auto-ignition Temperature | Not available | |
| Vapor Pressure | Not available | |

Vapor Density Not available

Note The above information is not intended for use in preparing product

specifications. Contact Soudal before writing specifications.

Section 10. Stability and Reactivity

Reactivity Unlikely to occur.

Chemical Stability Stable under normal conditions of use.

Possibility of Hazardous

Reactions

Unlikely to occur.

Conditions to Avoid Avoid contact with incompatible materials. Avoid heat, flames, sparks and other

sources of ignition.

Incompatible Materials Oxidizing materials, bases, combustible materials, strong acids, strong bases

products

Hazardous decomposition Oxides of carbon, oxides of calcium, hydrogen chloride

Section 11. Toxicological Information

Information on Likely Inhalation: No information on significant adverse effects.

Skin Contact: May cause allergic skin reaction. Routes of Exposure

Eye Contact: Causes serious eye irritation.

Ingestion: No information on significant adverse effects.

Component Analysis -

LD50/LC50

Delayed Effects

The components of this material have been reviewed in various sources and the

following selected endpoints are published: Precipitated Calcium carbonate (471-34-1)

Oral LD50Rat 6450 mg/kg

Titanium dioxide(inbound in mixture) (13463-67-7)

Oral LD50Rat >10000 mg/kg

Diisodecyl phthalate (26761-40-0)

Oral LD50Rat 64 g/kg

Dermal LD50Rabbit >3160 mg/kg Inhalation LC50Rat >12.54 mg/L 4 h

Immediate Effects Causes serious eye damage.

May cause allergic skin reaction.

Irritation/Corrosivity Data Causes serious eye irritation.

Respiratory Sensitization No data available. **Dermal Sensitization** No data available.

Component Titanium dioxide(inbound in mixture) 13463-67-7 ACGIH: A4 - Not Classifiable as a Human Carcinogen Carcinogenicity

IARC: Monograph 93 [2010]; Monograph 47 [1989](Group 2B (possibly

carcinogenic to humans))

DFG: Category 3A (could be carcinogenic for man, inhalable fraction with the

exception of ultra small particles)

OSHA: Present

Dibutyltin Diacetyldiacetonate 22673-19-4

ACGIH: A4 - Not Classifiable as a Human Carcinogen (related to Tin organic

compounds)

Diisodecyl phthalate 26761-40-0

DFG: Category 3B (could be carcinogenic for man)

Germ Cell Mutagenicity No data available. Reproductive Toxicity

No data available.

Single Exposure: eyes

Specific Target Organ

Repeated Exposure: No information on significant adverse effects.

Aspiration hazard

Toxicity

No information available for the product.

Medical conditions

eye disorders, skin disorders

aggravated by exposure

Section 12. Ecological Information

Component Analysis -

Diisodecyl phthalate 26761-40-0

Aquatic Toxicity

Fish: LC50 96 h Lepomis macrochirus >0.55 mg/L [static]; LC50 96 h

Pimephales promelas >1 mg/L [flow-through]

Algae: EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID; EC50 96 h

Pseudokirchneriella subcapitata >0.8 mg/L [static] EPA

Invertebrate: EC50 48 h Daphnia magna >0.02 mg/L [static] EPA

Section 13. Disposal

Dispose of contents/container in accordance with local/regional/national Disposal Methods

/international regulations.

Section 14. Transport Information

N/A **UN Number**

UN Proper Shipping Name Not regulated **DOT Classification** Not regulated **Packing Group** Not regulated

TDG Information: **UN#: Not Regulated**

Section 15. Regulatory Information

U.S. Federal Regulations None of this products components are listed under SARA Sections 302/304 (40

CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR

302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40

Acute Health: Yes

CFR 370 Subparts B and

Chronic Health: Yes

C) Fire: No

Pressure: No Reactivity: No

U.S. State Regulations

The following components appear on one or more of the following state

hazardous substances lists:

Precipitated Calcium carbonate 471-34-1: MA MN NJ PA

Titanium dioxide(inbound in mixture) 13463-67-7: MA MN NJ PA

Dibutyltin Diacetyldiacetonate 22673-19-4: CA MN

Diisodecyl phthalate 26761-40-0: CA PA

California Prop 65 WARNING: This product can expose you to chemicals including Titanium

Dioxide, which is known to the State of California to cause cancer, and

Diisodecyl phthalate, which is known to the State of California to cause birth

defects and/or other reproductive harm. For more information, go to

www.P65Warnings.ca.gov

Section 16. Other Information

Revision Date

3/28/2019

Disclaimer

The data contained herein is based upon information that Soudal believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.